MEDS-P2203






MEDS-P2203 is 21.5" panel PC run with Intel® Core[™] i series processor mainly for surgical room and medical equipment control platform in hospital. With high computing power and streamlined design features, MEDS-P2203 will be a ideal choice for various application in healthcare/ medical field.

FEATURES

■ Coffee Lake Core[™] i series processor

- 21.5" Full HD 1080p resolution widescreen display
- True flat touch screen with 10 point multi-touch, PCAP touch and glove operation
- Fanless and Solid IP65 water/dust proof front bezel
- Back-up battery support 30-60 mins operating





| Main | | |
|------------|--|--|
| Processor | Intel® Core™ i3-8100(10W) 3.6 GHz, Cache 6MB | |
| Memory | Single Channel DDR4 SODIMM up to 16 GB | |
| Storage | 1x mSATA SSD up to 512GB | |
| OS Support | Win 10/ Win 10 IoT | |
| | | |

| Display |
|---------|
|---------|

| Display | |
|----------------|----------------------------------|
| Size | 21.5 inch |
| Resolution | FHD 1920 x 1080 (16:9) |
| Brightness | 250 nits |
| Contrast Ratio | 1000:1 |
| Backlight | LED type |
| Backlight MTBF | 25,000 hours |
| Viewing Angle | 170° (H)/160° (V) |
| Touch Screen | Projected Capacitive Multi-Touch |

| I/O Interface | |
|------------------|----------------------------------|
| USB | 4x USB 3.0 |
| Serial Port | 2x RJ45 for RS232 |
| Ethernet | 2x Gigabit LAN |
| Display | 1x HDMI |
| Audio | 1x Combo audio jack |
| OSD function key | Power switch/ Volume/ Brightness |
| DC input | 1x 12V-24V DC jack |
| | |

| Peripherals and Devices | | |
|-------------------------|---|--|
| Audio | 2x built-in 3W speaker | |
| WLAN & Bluetooth | WLAN 802.11 ac/a/b/g/n and Bluetooth 4.0 (optional) | |
| Battery | Back-up battery support 30-60 min operating | |

| Power | | |
|----------------------------|--|--|
| Power Consumption | 65W (Max.) | |
| Power Requirement | DC 12-24V input with power adapter DC 19-24V input with power adapter(w/ battery) | |
| Mechanical & Environmental | | |
| Water/Dust Resistance | Front panel: IP65 Whole system: IPX1 | |
| Operating Temperature | 0°C ~ 35°C | |
| Dimensions | 521.9(W) x 321.4(H) x 43.7(D) mm | |
| VESA Mounting | 75mm x 75mm | |